


Wiring Ducts - Narrow Slot

 REACH
CERTIFIED





FRLS


SN	Article No.	Type	Description	Double Restricted Slot *	Duct Size WxH(mm)	Duct Size WxH(inch)	Meter/ Box
1	01 17 01250	TBWDN25X25LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	–	25 x 25	0.98 x 0.98	120
2	01 17 06962	TBWDN25X30LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	–	25 x 30	0.98 x 1.18	96
3	01 17 01066	TBWDN25X40LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	–	25 x 40	0.98 x 1.57	96
4	01 17 01586	TBWDN25X45LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	–	25 x 45	0.98 x 1.77	96
5	01 17 01251	TBWDN25X60LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	25 x 60	0.98 x 2.36	72
6	01 17 01588	TBWDN25X80LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	25 x 80	0.98 x 3.15	48
7	01 17 01584	TBWDN25X100LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	25 x 100	0.98 x 3.94	48
8	01 17 06961	TBWDN30X40LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	–	30 x 40	1.18 x 1.57	80
9	01 17 01252	TBWDN30X80LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	30 x 80	1.18 x 3.15	40
10	01 17 06410	TBWDN40X25LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	–	40 x 25	1.57 x 0.98	96
11	01 17 01068	TBWDN40X40LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	–	40 x 40	1.57 x 1.57	64
12	01 17 01070	TBWDN40X60LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	40 x 60	1.57 x 2.36	48
13	01 17 01072	TBWDN40X80LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	40 x 80	1.57 x 3.15	32
14	01 17 01253	TBWDN40X100LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	40 x 100	1.57 x 3.94	32
15	01 17 01590	TBWDN45X45LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	–	45 x 45	1.77 x 1.77	64
16	01 17 04064	TBWDN45X60LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	45 x 60	1.77 x 2.36	48
17	01 17 06414	TBWDN45X80LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	45 x 80	1.77 x 3.15	32
18	01 17 01592	TBWDN60X40LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	–	60 x 40	2.36 x 1.57	36
19	01 17 05265	TBWDN60X45LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	–	60 x 45	2.36 x 1.77	36
20	01 17 01074	TBWDN60X60LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	60 x 60	2.36 x 2.36	36
21	01 17 01076	TBWDN60X80LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	60 x 80	2.36 x 3.15	24
22	01 17 01254	TBWDN60X100LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	60 x 100	2.36 x 3.94	24
23 #	01 17 16430	TBWDN75X75LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	75 x 75	2.95 x 2.95	16
24	01 17 01596	TBWDN80X40LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	–	80 x 40	3.15 x 1.57	24
25	01 17 01598	TBWDN80X60LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	80 x 60	3.15 x 2.36	24
26	01 17 01255	TBWDN80X80LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	80 x 80	3.15 x 3.15	16
27	01 17 01594	TBWDN80X100LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	80 x 100	3.15 x 3.94	16
28	01 17 01582	TBWDN100X60LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	100 x 60	3.94 x 2.36	24
29	01 17 02670	TBWDN100X80LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	100 x 80	3.94 x 3.15	16
30	01 17 01256	TBWDN100X100LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	100 x 100	3.94 x 3.94	16
31	01 17 02672	TBWDN120X80LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	120 x 80	4.72 x 3.15	12
32 #	01 17 04986	TBWDN150X100LG2	Wiring Duct Narrow Slot, Light Grey, 2 Meter	✓	150 x 100	5.90 x 3.94	8

Wiring Ducts also available in 1 meter with different colors.

* See page no. 13

Wiring Ducts - Wide Slot

REACH
CERTIFIED


CA US

CE

RoHS

UK
CA

FRLS



SN	Article No.	Type	Description	Double Restricted Slot *	Duct Size WxH(mm)	Duct Size WxH(inch)	Meter/ Box
1	01 17 02546	TBWDW25X25LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	-	25 x 25	0.98 x 0.98	120
2	01 17 06966	TBWDW25X30LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	-	25 x 30	0.98 x 1.18	96
3	01 17 02547	TBWDW25X40LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	-	25 x 40	0.98 x 1.57	96
4	01 17 02548	TBWDW25X45LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	-	25 x 45	0.98 x 1.77	96
5	01 17 02549	TBWDW25X60LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	25 x 60	0.98 x 2.36	72
6	01 17 02517	TBWDW25X80LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	25 x 80	0.98 x 3.15	48
7	01 17 02550	TBWDW25X100LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	25 x 100	0.98 x 3.94	48
8	01 17 06967	TBWDW30X40LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	-	30 x 40	1.18 x 1.57	80
9	01 17 02519	TBWDW30X80LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	30 x 80	1.18 x 3.15	40
10	01 17 06508	TBWDW40X25LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	-	40 x 25	1.57 x 0.98	96
11	01 17 02551	TBWDW40X40LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	-	40 x 40	1.57 x 1.57	64
12	01 17 02552	TBWDW40X60LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	40 x 60	1.57 x 2.36	48
13	01 17 02521	TBWDW40X80LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	40 x 80	1.57 x 3.15	32
14	01 17 02553	TBWDW40X100LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	40 x 100	1.57 x 3.94	32
15	01 17 02554	TBWDW45X45LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	-	45 x 45	1.77 x 1.77	64
16	01 17 04068	TBWDW45X60LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	45 x 60	1.77 x 2.36	48
17	01 17 06506	TBWDW45X80LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	45 x 80	1.77 x 3.15	32
18	01 17 02555	TBWDW60X40LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	-	60 x 40	2.36 x 1.57	36
19	01 17 05262	TBWDW60X45LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	-	60 x 45	2.36 x 1.77	36
20	01 17 02556	TBWDW60X60LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	60 x 60	2.36 x 2.36	36
21	01 17 02523	TBWDW60X80LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	60 x 80	2.36 x 3.15	24
22	01 17 02557	TBWDW60X100LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	60 x 100	2.36 x 3.94	24
23	#01 17 16802	TBWDW75X75LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	75 x 75	2.95 x 2.95	16
24	01 17 02558	TBWDW80X40LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	-	80 x 40	3.15 x 1.57	24
25	01 17 02559	TBWDW80X60LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	80 x 60	3.15 x 2.36	24
26	01 17 02525	TBWDW80X80LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	80 x 80	3.15 x 3.15	16
27	01 17 04881	TBWDW80X100LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	80 x 100	3.15 x 3.94	16
28	01 17 05138	TBWDW100X60LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	100 x 60	3.94 x 2.36	24
29	01 17 02674	TBWDW100X80LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	100 x 80	3.94 x 3.15	16
30	01 17 02562	TBWDW100X100LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	100 x 100	3.94 x 3.94	16
31	01 17 02676	TBWDW120X80LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	120 x 80	4.72 x 3.15	12
32	#01 17 05304	TBWDW150X100LG2	Wiring Duct Wide Slot, Light Grey, 2 Meter	✓	150 x 100	5.90 x 3.94	8

* See page no. 13

Wiring Ducts also available in 1 meter with different colors.

Wiring Ducts - Un-Slotted (Solid Wall)

 REACH
CERTIFIED





FRLS


SN	Article No.	Type	Description	Duct Size WxH(mm)	Duct Size WxH(inch)	Meter/Box
1	01 17 01236	TBWDS25X25LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	25 x 25	0.98 x 0.98	120
2	01 17 06968	TBWDS25X30LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	25 x 30	0.98 x 1.18	96
3	01 17 01084	TBWDS25X40LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	25 x 40	0.98 x 1.57	96
4	01 17 01604	TBWDS25X45LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	25 x 45	0.98 x 1.77	96
5	01 17 01237	TBWDS25X60LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	25 x 60	0.98 x 2.36	72
6	01 17 01606	TBWDS25X80LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	25 x 80	0.98 x 3.15	48
7	01 17 01602	TBWDS25X100LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	25 x 100	0.98 x 3.94	48
8	01 17 06969	TBWDS30X40LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	30 x 40	1.18 x 1.57	80
9	01 17 01238	TBWDS30X80LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	30 x 80	1.18 x 3.15	40
10	01 17 06509	TBWDS40X25LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	40 x 25	1.57 x 0.98	96
11	01 17 01085	TBWDS40X40LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	40 x 40	1.57 x 1.57	64
12	01 17 01083	TBWDS40X60LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	40 x 60	1.57 x 2.36	48
13	01 17 01086	TBWDS40X80LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	40 x 80	1.57 x 3.15	32
14	01 17 01239	TBWDS40X100LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	40 x 100	1.57 x 3.94	32
15	01 17 01608	TBWDS45X45LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	45 x 45	1.77 x 1.77	64
16	01 17 04066	TBWDS45X60LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	45 x 60	1.77 x 2.36	48
17	01 17 06507	TBWDS45X80LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	45 x 80	1.77 x 3.15	32
18	01 17 01610	TBWDS60X40LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	60 x 40	2.36 x 1.57	36
19	01 17 05264	TBWDS60X45LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	60 x 45	2.36 x 1.77	36
20	01 17 01088	TBWDS60X60LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	60 x 60	2.36 x 2.36	36
21	01 17 01087	TBWDS60X80LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	60 x 80	2.36 x 3.15	24
22	01 17 01240	TBWDS60X100LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	60 x 100	2.36 x 3.94	24
23 #	01 17 16438	TBWDS75X75LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	75 x 75	2.95 x 2.95	16
24	01 17 01614	TBWDS80X40LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	80 x 40	3.15 x 1.57	24
25	01 17 01616	TBWDS80X60LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	80 x 60	3.15 x 2.36	24
26	01 17 01241	TBWDS80X80LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	80 x 80	3.15 x 3.15	16
27	01 17 01612	TBWDS80X100LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	80 x 100	3.15 x 3.94	16
28	01 17 01600	TBWDS100X60LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	100 x 60	3.94 x 2.36	24
29	01 17 02736	TBWDS100X80LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	100 x 80	3.94 x 3.15	16
30	01 17 01242	TBWDS100X100LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	100 x 100	3.94 x 3.94	16
31	01 17 02737	TBWDS120X80LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	120 x 80	4.72 x 3.15	12
32 #	01 17 05305	TBWDS150X100LG2	Wiring Duct Solid Wall, Light Grey, 2 Meter	150 x 100	5.90 x 3.94	8

Wiring Ducts also available in 1 meter with different colors.

Typical Raw Material Properties of PVC Wiring Ducts

Property	Units	ASTM Test	Test Value
Specific Gravity	...	D792	1.43
IZOD Impact Strength	Kg.cm/cm	D256	7.5
Flexural Strength	Psi	D790	10900
Flexural Module	Psi	D790	382000
Tensile Strength	Psi	D638	5500
Compressive Strength	Psi	D695	8600
Water Absorption	24Hrs-%	D570	0.1
Hardness	Shore D	D785	78D
Dielectric Strength 50Hz, 25°C,s/t	Kv/mm	D149	36
Volume Resistivity	Ohm-cm	D257	6.1X10 ¹
Heat Deflecting °F @ 264 psi	°F	D648	60°C (140°F)
UL 94 - Flammability	VO RoHS

For guidance only

Subject to change in the interest of technical progress

Application Area



Cabinet Building



Telecom Industry



Wind Industry



Power Industry



Process Industry

Notes

New in this brochure :

- New sizes 75x75 (WxH) in PVC wiring ducts.