



## Wiring Ducts Halogen Free-Narrow Slot

REACH  
CERTIFIED

RoHS



FRLSZH



SN	Article No.	Type	Description	Double Restricted Slot *	Duct Size WxH(mm)	Duct Size WxH(inch)	Meter/Box
1	01 17 06680	HF25X25SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	-	25 x 25	0.98 x 0.98	120
2	01 17 03447	HF25X40SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	-	25 x 40	0.98 x 1.18	96
3	01 17 06681	HF25X60SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	25 x 60	0.98 x 1.57	72
4	01 17 05299	HF25X80SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	25 x 80	0.98 x 1.77	48
5	01 17 06407	HF30X40SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	-	30 x 40	0.98 x 2.36	80
6	01 17 06408	HF30X60SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	30 x 60	0.98 x 3.15	60
7	01 17 06682	HF30X80SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	30 x 80	0.98 x 3.94	40
8	01 1706683	HF30X100SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	30 x 100	1.18 x 1.57	40
9	01 17 06409	HF40X30SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	-	40 x 30	1.18 x 3.15	64
10	01 17 03438	HF40X40SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	-	40 x 40	1.57 x 0.98	64
11	01 17 05240	HF40X60SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	40 x 60	1.57 x 1.57	48
12	01 17 03465	HF40X80SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	40 x 80	1.57 x 2.36	32
13	01 17 03456	HF40X100SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	40 x 100	1.57 x 3.15	32
14	01 17 06684	HF60X40SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	-	60 x 40	1.57 x 3.94	36
15	01 17 06685	HF60X60SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	60 x 60	1.77 x 1.77	36
16	01 17 03487	HF60X80SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	60 x 80	1.77 x 2.36	24
17	01 17 03496	HF60X100SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	60 x 100	1.77 x 3.15	24
18	01 17 06686	HF80X25SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	-	80 x 25	2.36 x 1.57	24
19	01 17 06687	HF80X40SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	-	80 x 40	2.36 x 1.77	24
20	01 17 06688	HF80X60SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	80 x 60	2.36 x 2.36	24
21	01 17 03474	HF80X80SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	80 x 80	2.36 x 3.15	16
22	01 17 03505	HF80X100SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	80 x 100	2.36 x 3.94	16
23	01 17 06689	HF100X40SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	-	100 x 40	3.15 x 1.57	24
24	01 17 06690	HF100X60SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	100 x 60	3.15 x 2.36	24
25	01 17 06691	HF100X80SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	100 x 80	3.15 x 3.15	16
26	01 17 03514	HF100X100SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	100 x 100	3.15 x 3.94	16
27	01 17 06693	HF120X60SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	120 x 60	3.94 x 2.36	12
28	01 17 06692	HF120X80SG2N	Halogen Free Narrow Slot, Silver Grey, 2 Meter	✓	120 x 80	3.94 x 3.15	12



\* See page no. 13

Wiring Ducts also available in 1 meter with different colours.

## Wiring Ducts Halogen Free-Wide Slot


**REACH  
CERTIFIED**

**RoHS**

**UK  
CA**
**FRLSZH**


SN	Article No.	Type	Description	Double Restricted Slot *	Duct Size WxH(mm)	Duct Size WxH(inch)	Meter/Box
1	01 17 06946	HF25X25SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	-	25 x 25	0.98 x 0.98	120
2	01 17 03449	HF25X40SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	-	25 x 40	0.98 x 1.18	96
3	01 17 06947	HF25X60SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	25 x 60	0.98 x 1.57	72
4	01 17 05300	HF25X80SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	25 x 80	0.98 x 1.77	48
5	01 17 06514	HF30X40SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	-	30 x 40	0.98 x 2.36	80
6	01 17 06518	HF30X60SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	30 x 60	0.98 x 3.15	60
7	01 17 06948	HF30X80SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	30 x 80	0.98 x 3.94	40
8	01 17 06949	HF30X100SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	30 x 100	1.18 x 1.57	40
9	01 17 06516	HF40X30SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	-	40 x 30	1.18 x 3.15	64
10	01 17 03440	HF40X40SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	-	40 x 40	1.57 x 0.98	64
11	01 17 05302	HF40X60SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	40 x 60	1.57 x 1.57	48
12	01 17 03467	HF40X80SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	40 x 80	1.57 x 2.36	32
13	01 17 03458	HF40X100SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	40 x 100	1.57 x 3.15	32
14	01 17 06950	HF60X40SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	-	60 x 40	1.57 x 3.94	36
15	01 17 06951	HF60X60SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	60 x 60	1.77 x 1.77	36
16	01 17 03489	HF60X80SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	60 x 80	1.77 x 2.36	24
17	01 17 03498	HF60X100SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	60 x 100	1.77 x 3.15	24
18	01 17 06952	HF80X25SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	-	80 x 25	2.36 x 1.57	24
19	01 17 06953	HF80X40SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	-	80 x 40	2.36 x 1.77	24
20	01 17 06954	HF80X60SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	80 x 60	2.36 x 2.36	24
21	01 17 03476	HF80X80SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	80 x 80	2.36 x 3.15	16
22	01 17 03507	HF80X100SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	80 x 100	2.36 x 3.94	16
23	01 17 06955	HF100X40SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	-	100 x 40	3.15 x 1.57	24
24	01 17 06956	HF100X60SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	100 x 60	3.15 x 2.36	24
25	01 17 06957	HF100X80SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	100 x 80	3.15 x 3.15	16
26	01 17 03516	HF100X100SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	100 x 100	3.15 x 3.94	16
27	01 17 06958	HF120X60SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	120 x 60	3.94 x 2.36	12
28	01 17 06959	HF120X80SG2W	Halogen Free Wide Slot, Silver Grey, 2 Meter	✓	120 x 80	3.94 x 3.15	12

\* See page no. 13

## Wiring Ducts Halogen Free-Un-Slotted (Solid Wall)




SN	Article No.	Type	Description	Duct Size WxH(mm)	Duct Size WxH(inch)	Meter/Box
1	01 17 06932	HF25X25SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	25 x 25	0.98 x 0.98	120
2	01 17 03448	HF25X40SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	25 x 40	0.98 x 1.18	96
3	01 17 06933	HF25X60SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	25 x 60	0.98 x 1.57	72
4	01 17 05301	HF25X80SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	25 x 80	0.98 x 1.77	48
5	01 17 06515	HF30X40SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	30 x 40	0.98 x 2.36	80
6	01 17 06519	HF30X60SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	30 x 60	0.98 x 3.15	60
7	01 17 06934	HF30X80SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	30 x 80	0.98 x 3.94	40
8	01 17 06935	HF30X100SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	30 x 100	1.18 x 1.57	40
9	01 17 06517	HF40X30SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	40 x 30	1.18 x 3.15	64
10	01 17 03439	HF40X40SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	40 x 40	1.57 x 0.98	64
11	01 17 05303	HF40X60SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	40 x 60	1.57 x 1.57	48
12	01 17 03466	HF40X80SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	40 x 80	1.57 x 2.36	32
13	01 17 03457	HF40X100SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	40 x 100	1.57 x 3.15	32
14	01 17 06936	HF60X40SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	60 x 40	1.57 x 3.94	36
15	01 17 06937	HF60X60SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	60 x 60	1.77 x 1.77	36
16	01 17 03488	HF60X80SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	60 x 80	1.77 x 2.36	24
17	01 17 03497	HF60X100SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	60 x 100	1.77 x 3.15	24
18	01 17 06938	HF80X25SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	80 x 25	2.36 x 1.57	24
19	01 17 06939	HF80X40SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	80 x 40	2.36 x 1.77	24
20	01 17 06940	HF80X60SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	80 x 60	2.36 x 2.36	24
21	01 17 03475	HF80X80SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	80 x 80	2.36 x 3.15	16
22	01 17 03506	HF80X100SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	80 x 100	2.36 x 3.94	16
23	01 17 06941	HF100X40SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	100 x 40	3.15 x 1.57	24
24	01 17 06942	HF100X60SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	100 x 60	3.15 x 2.36	24
25	01 17 06943	HF100X80SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	100 x 80	3.15 x 3.15	16
26	01 17 03515	HF100X100SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	100 x 100	3.15 x 3.94	16
27	01 17 06944	HF120X60SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	120 x 60	3.94 x 2.36	12
28	01 17 06945	HF120X80SG2S	Halogen Free Solid Wall, Silver Grey, 2 Meter	120 x 80	3.94 x 3.15	12

## Typical Raw Material Properties of Halogen Free Wiring Ducts

Property	Units	ASTM Test	Test Value
Specific Gravity	...	D792	1.2
IZOD Impact Strength	cm-kgf/cm	D256	70
Flexural Strength	psi	D790	12800
Flexural Module	psi	D790	360000
Tensile Strength	psi	D638	7800
Compressive Strength	psi	D695	16000
Water Absorption, (23°C/Sat)	%	D570	0.6
Hardness	Rockwell	ISO 2039-2	124
Dielectric Strength 50Hz, 25°C	KV/mm	D149	400
Dielectric Constant, Dry	...	D150	2.65
HDT	°C	D648	100°C
Vicat Softening Temp.	°C	ASTM D 1525	110°C
Flammability	...	UL-94	V0
Oxygen Index	%	ISO 4589-2	37
Ambient Temperature (Operation)	°C	...	(-25°C to +90°C)

For guidance only

Subject to change in the interest of technical progress.



## Halogen Free Wiring Ducts in Blue Color



**Stock Available**



Narrow Slot



Wide Slot



Un-Slotted (Solid Wall)